



senko.com

Random Mating IL versus IL by Master Jumper

MARCH 2021 *Rev. 01* Issued by: Engineering Department Created by: Ky Ly Andrei Vankov Bernard Lee Emmanuel Kolczynski



Introduction

Whether it be a System Designer, System Installer, or Service Engineer, network plans all rely on connectorized fiber optic patch cords deployed into the field to satisfy the required performance expectations. Even when the individual components comply with industry standards, performance can still fall short of expectations.

Insertion Loss (IL) and Return Loss (RL) performance shortfalls are typically symptoms of the fiber optics industry's Achilles' heel, namely, lack of due care and attention during installation, and connector intermateability. Both can manifest themselves as poor IL and/or RL performance.

Variations in IL and/or RL performance are commonly observed when connectorized fiber optic jumpers from different manufacturers are used together as interconnects within a system. In theory, all patch cords should be compliant with industry standards and exhibit the same optical losses, regardless of manufacturer. However, the components of connectors have defined tolerances, and it is the variability in these tolerances that contributes to the inconsistencies in optical losses, even if the patch cords are produced by the same manufacturer.

Overcoming such inconsistencies depends on more than just a tight control of component tolerances, but also on the testing methods and design considerations that allow for optimal intermateability.

Insertion loss

For Insertion Loss specifications, the Telcordia GR-326-CORE Issue 4 states that the IL should have a mean of 0.2 dB and a max of 0.4 dB, while IEC recommends a mean of 0.25 dB and a max of 0.5 dB. To adhere to these specifications, manufacturers test product against a combination of their "best case" Master/Reference patch cord and an adapter in a controlled environment.

It is a common misconception that the IL performance at the manufacturing site will be the same out in the field. The manufacturer reported test data for the IL values will vary at the installation site. Manufacturers IL values may serve as a good reference of performance under controlled conditions, but will be poor indicators of field performance, where various patch cords are mated together using generic adapters. This is why testing in the field is also a requirement. Moreover, testing at the manufacturer site is performed against tightly controlled Master Jumpers that typically have the best possible tolerances. Therefore, loss values are expected to be higher at the installation site in comparison with the originally reported numbers due to what is referred to as, Random Mating.

Random Mating

Random Mating is a method of cross-mating patch cords from different manufacturers or manufactured batches from the same supplier without the use of Master patch cords or adapters. The performance grades for connectors are outlined in IEC 61753-1, "Fiber optic interconnecting devices and passive components - Performance standard". The document provides performance standards for all passive fiber optic products, including connectors. In many ways it is similar to the Telcordia GR-326 document that was adopted in North America and which most people are familiar with. IEC 61300-3-34, "Fiber optic interconnecting devices and passive components - Basic test and measurement procedures - Attenuation of random mated connectors", is another IEC document that specifies random mating procedures. These procedures are intended to give an accurate expected optical loss in the field, including worst case scenarios, taking complex interactions into account between all factors including ferrule and fiber dimensions, endface geometry, and polish surface quality. IEC 61300-3-34 describes two test methods for measuring optical losses of random mated connectors. Both provide an estimate of the expected average performance of the patch cords. The patch cords and adapters are chosen randomly to provide a statistically unbiased estimate. Method 1 describes the procedure based on the use of 10 patch cords (20 connectors) and 10 adapters. All the plugs are used sequentially as "reference" plugs and all the remaining

plugs are tested against them. The result is based on 360 measurements. The matrix is shown in Table 1.

Method 1 is time consuming and typically used for qualifying supplier products. For this reason, Method 2 was developed as a more efficient alternative. Method 2 uses 15 patch cords and 5 adapters. From these 15 patch cords, 5 are chosen at random, and 1 adapter is used as a "reference" plug. The matrix for Method 2 is shown in Table 2. It is important to note that Method 1 is intended to be part of a design approval exercise that may involve one or more suppliers. Once approval is achieved, Method 2 would be relied upon to maintain process control. However, in the event of a dispute, Method 1 would act as the reference measurement method.



Table 1. Random mating "Method 1" matrix.

Table 2. Random mating "Method 2" matrix.

	"Reference" configurations							
Test plugs	1	2	3	4	5	Average	Max. value	Std. deviation
1a								
1b								
2a								
2b								
3a								
3b								
4a								
4b								
5a								
5b								
6a								
6b								
7a								
7b								
8a								
8b								
9a								
9b								
10a								
10b								
Average								
Max value								
Std deviation								
Summary statistics	Average Max value			Std deviation				

Table 3. Optical performance criteria for single mode connectors. IEC 61753-1 specifies four Random Mating IL performance grades, of which grade A has yet to be defined.

Attenuation grades	IL Requirement Random Mated IEC 61300-3-34 Tested at 1310 nm, 1550 nm, and 1625 nm				
Grada A	Undefined				
Glade A	Undefined				
Grada P	\leq 0.12 dB Mean IL				
Glade B	\leq 0.25 dB Max IL for > 97% of samples				
Grada C	\leq 0.25 dB Mean IL				
Glade C	\leq 0.50 dB Max IL for > 97% of samples				
Grada D	\leq 0.50 dB Mean IL				
Grade D	\leq 1.0 dB Max IL for > 97% of samples				

Connector IL difference

It is difficult to extrapolate optical losses in the field when testing against a Master patch cord. The Random Mating method is a better surrogate for what to expect.

Figures 1 and 2 represent sample batches 1 and 2, both of which comply with the GR-326-CORE specification of a Max IL of 0.4 dB against a Master patch cord. However, when randomly mated, the Max IL of batch 1 exceeds 1.0 dB, whereas batch 2 is 0.2 dB.

Figure 1. Batch 1 Represents SC UPC patch cords using Low Cost Vendor connectors. GR-326-CORE IL against Master and IEC Random Mating; grade D compliant.



Figure 2. Batch 2 Represents High Quality Vendor SC UPC patch cords using SENKO Premium SM graded connectors.



GR-326-CORE IL against Master and IEC Random Mating; grade B compliant.

Solution

SENKO has refined the designs on its range of premium connectors to improve performance during Random Mating. Several improvements have been made including, but not limited to, better ferrule bore concentricity and ferrule flange key re-design (to tighten up Key Error). SENKO connectors also improve Apex Offset repeatability and control of free-floating ferrules. These design improvements manifest themselves as lower and tighter optical losses during random mating scenarios.

Figure 3 below illustrates the performance difference between SENKO's connectors versus that of High Quality and Low-Cost alternatives.





Contact us

USA

East Coast +1-508-481-9999 West Coast +1-858-623-3300 Texas +1-972-661-9080 Sales-Americas@senko.com

Mexico & Central America +1-858-623-3300 Sales-Mexico@senko.com

Brazil and South America +55-21-3736-7065 Sales-Brazil@senko.com

Asia-Pacific

Hong Kong +852-2121-0516 Shanghai +86-21-5830-4513 Shenzhen +86-755-2533-4893 Thailand +66(0)2-163-2798 Australia +61(0)3 9755-7922 Sales-Asia-Pacific@senko.com

Japan Yokkaichi City +81-59-352-1121 Tokyo +81-3-5825-0911 Sales-Japan@senko.com United Kingdom UK +44(0) 1256 700880 Sales-UK@senko.com

Europe

Spain & Portugal Sales-Iberia@senko.com

Germany Sales-Germany@senko.com

Italy Sales-Italy@senko.com

France Salesfrance@senko.com

Other European Countries +44(0) 1256 700880 Sales-Europe@senko.com

> CALL1-888-32-SENKO www.senko.com