

STAND-ALONE

FTTX FIBER VIEW

FEATURES

- Low Cost - Small compact size, light weight
- Highly Portable - Single handed focusing
- Optional 2nd Probe
- Optical Resolution to 1.25um
Field Of View 250 microns Vertical and 340 microns Horizontal
- Standard 2.5mm PC Tip
- Other Tips Available
- Rugged 2.5" TFT Display, with built in stand and option for strap
- Video Capture MPEG Format (With Voice Record Option)
- Lightweight Soft Carry Bag
- Side Clip for hands free mounting of Probe
- >8 Hours Battery Life Continuous Use Typical
- Menu Driven On Screen Brightness-Contrast-Colour Control
- Voice Record function
- Headphone Port
- USB 2.0 Port




The FTTX FIBERVIEW ultra light analogue probe connects to the extremely rugged and compact 2.5" TFT hand-held monitor with a display magnification of x150 (x200 option available on request). The analogue probe is side mounted on the monitor. An additional optional probe allows the user to inspect both patchcord and In-adapter end face in one process.

Content

Stand-Alone FTTX Fiber View – FTTX Video Probe, Soft Carry Bag, AC Charger, 2.5mm – Universal Patchcord Tip, Hand-Held Monitor with SD Card – Tip Box.

ORDER CODE:







SCK-VM1000-2



The hand-held monitor, via the menu driven user interface, provides the user with full access to either the user installed SD memory card, internal Nand-Flash memory or externally connected hard drive, to facilitate capturing of MPEG video files, with voice. All files can be transferred to a PC or Laptop and single images extracted for reports as required.



FTTX FIBERVIEW TIPS

	SCK-FTV-LC/MU	LC and MU In Adapter Tip		SCK-FTV-SC/FC	SC and FC In Adapter Tip
	SCK-FTV-SCAPC	SC APC In Adapter Tip		SCK-FTV-ST	ST In Adapter Tip
	SCK-FTV-PC250	2.5mm Universal Tip For Digital FTTX Fiber View		SCK-FTV-APC250	2.5mm APC Universal Tip

Other available tips:

- SCK-FTV-PC125 as 1.25mm Universal Tip
- SCK-FTV-APC125 as 1.25mm APC Universal Tip
- SCK-FTV-LCAPC as LC APC In Adapter Tip
- SCK-FTV-FCAPC as FC APC In Adapter Tip

STAND-ALONE

DIGITAL FIBER VIEW



The Digital FIBERVIEW probe receives all of its power supply requirements through direct connection to the USB port on either a PC or Laptop. The probe supports variable magnification which is controlled via a proprietary software suite. This software suite also permits the end user to complete a full, automatic analysis of the ferrule end face, as viewed, for contamination and scratches against user-definable accept/reject criteria.

FEATURES

- Highly Portable
- Optical Resolution to 0.5um
- Variable Magnification
- Standard 2.5mm PC Tip
- Other Tips Available
- Analytical Software
- Lightweight Rugged Carry Case





Content

Stand-alone Digital Fiber View comprising: Digital Video Probe, Soft Carry Bag, 2.5mm Universal Patch cord tip, CD with Analytical software, Tip Box.

ORDER CODE:

SCK-VM1000-3



STAND-ALONE

TELECOM FIBER VIEW



The Telecom FIBERVIEW analogue probe which has an optical resolution down to 1.0 micron (Viewable Down To 0.5 Microns) connects to a battery powered 3.5" TFT screen with a display magnification of x200. The Telecom FIBERVIEW is supplied in a soft carry bag with shoulder strap and software that will allow you to capture images of the ferrule end face onto a Laptop or PC

FEATURES

- High Performance
- Optical Resolution to 1.0 um (viewable down to 0.5 microns)
- 3.5" TFT Display
- Magnification x200
- Field OfView 250 microns vertical and 360 microns horizontal
- Standard 2.5mm PC Tip
- Other Tips Available
- Image Capture Software

Content

Stand-Alone Telecom Fiber View – Telecom Video Probe, Soft Carry Bag, AC Charger, 2.5mm Universal Patchcord Tip, Hand-Held Monitor with USB Port – USB Lead, Tip Box, CD With Frame Grabber Software

ORDER CODE:

SCK-VM1000-1

IN-ADAPTER TIP Telecom/Digital Fiber View

TELECOM/DIGITAL FIBER VIEW TIPS		
	SCK-DFV-LC	LC In Adapter Tip
	SCK-DFV-MU	MU In Adapter Tip
	SCK-DFV-SC	SC In Adapter Tip
	SCK-DFV-FC	FC In Adapter Tip
	SCK-DFV-ST	ST In Adapter Tip
	SCK-DFV-SCAPC	SCAPC In Adapter Tip
	SCK-DFV-LEMO-F	LEMO Female In Adapter Tip
	SCK-DFV-E2KPC	E-2000 In Adapter Tip
	SCK-DFV-PC250	2.5mm Universal Tip
	SCK-DFV-PC125	1.25mm Universal Tip
	SCK-DFV-APC250	2.5mm APC Universal Tip

Other available tips:

SCK-DFV-FCAPC	FCAPC In Adapter Tip
SCK-DFV-LEMO-M	LEMO Male In Adapter Tip
SCK-DFV-APC125	1.25mm APC Universal Tip