DATA SHEET

E-2000 *ADAPTER* Series R823/846/847

The SENKO E-2000[™] adapters, available in both simplex and duplex configurations, are designed to meet the highest standards of performance and reliability in fiber optic connectivity. These adapters feature robust construction with injection-molded PBT housing and high-quality split ceramic sleeves, ensuring minimal insertion loss and excellent durability. With spring-loaded shutters to protect connector end faces from contamination, the E-2000[™] adapters are ideal for a wide range of applications, including WANs, LANs, metrology systems, and industrial environments. Compliance with EN 186270 and IEC 61754-15 standards further underscores their quality and reliability, making them a trusted choice for professionals in the field.

FEATURES

- Sprung loaded shutter
- Precision zirconia alignment sleeve
- 1000 matings durability with or without flange options
- Compliant with EN 186270 and IEC 61754-15 standards

KEY BENEFITS

11

High durability
 Standard compliant
 Simple installation

Advanced Components

E-2000[™] APC Simplex Adapter

Mechanical Data

	Value
Durability	1000 matings
Fixing Method	2 Hole Screw Fixing
Housing Material	PBT and Metal
Alignment Sleeve Material	Zirconia
Fiber Count	Simplex (1 Channel), Duplex (2 Channel)
Connector Compatability	E-2000 TM


Optical Data

	Value
Typical Insertion Loss (dB)	0.10
Max Insertion Loss (dB)	0.20

Environmental Data

	Value
Operating Temperature	-40°C to +75°C
RoHS Compliance	Yes
REACH Compliance	Yes
Humidity Resistance	95%

Connector Drawing



ORDERING



SIMPLEX ADAPTER CODE	
R847081	Black, SC footprint, with Flange
R846580	Blue, SC footprint, with Flange
R846577	Green, SC footprint, with Flange
R846343	Beige/white, Flangeless, SC Footprint
R846340	Blue, Flangeless, SC Footprint
R846339	Green, Flangeless, SC Footprint

R847081 ORDER CODE example



 COMPACT (RJ) ADAPTER

 R823264
 Black, with Flange

 R823260
 Black, Flangeless

 R823262
 Blue, With Flange

 R823258
 Blue, Flangeless

 R823261
 Green, with Flange

 R823257
 Green, Flangeless

 R823257
 Green, Flangeless

E-2000[™] SM UPC Compact Adapter, with Flange





sales@senko.com 1-858-623-3300 senko.com/contact

DS-E-2000-000009-RevA-EN