





1 2 3 4 5 6 7 8

NOTES:
 1. ALL MATERIALS ARE COMPLIANT TO RoHS, REACH SVHC AND UL 94 V-0
 2. INTERFACE DIMENSIONS ARE COMPLIANT TO "TYPE SN FAMILY SPECIFICATION"

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	4	GENERAL USAGE	3/20/2019	

FERRULE SPECIFICATION TABLE				
I.D.(um)	MODE	PEDESTAL (mm)	O.D. (mm)	CONCENTRICITY (um)
125.5 ⁺¹ ₀	SM	Ø0.6	Ø1.249±0.0005	≤ 1.0
127 ⁺³ ₋₁	MM		Ø1.249 ^{+0.0005} _{-0.0010}	≤ 4.0



CONFIDENTIAL

Category

C

Information on this document is proprietary and may not be used, copied, reproduced, or disclosed without the written consent of SENKO Advanced Components, Inc.

UNLESS OTHERWISE SPECIFIED: DEBURRS ALL SHARP EDGES. DIMENSIONS ARE AFTER FINISH.

All Dimensions are in mm

TOLERANCES: X. =±
 X =±0.2
 .XX =±0.10
 .XXX =±
 < =±3°



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	REV.4 - NO DUST CAP	SENKO NANO CONNECTOR (2F), FOR 1.6mm CABLE, WITH STANDARD BOOT, SEE BOM, (DWG# ENM18-133)	1
2	TBD	SN CONNECTOR DUST CAP, DUPLEX, TPR, WHITE, (DWG# ENM18-263)	1

Drawn By: Jimmy Chang Checked By: ENG. DEPT. Material: SEE BOM Scale: Free



SENKO
Advanced Components

Part Number:
 Description: SENKO NANO CONNECTOR (2F), FOR 1.6mm CABLE, WITH STANDARD BOOT
 DWG# C-ENM18-133 Rev. 4 Sheet 1

1 2 3 4 5 6 7 8